GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

EFS&T Department – Forest Reservation – SPSR Nellore District and Division – Atmakur Range - Declaration – Dubagunta Block-C to an extent of 24.58 Ha. or 60.73 Acres of Compensatory Afforestation land in Sy.Nos.252-1/2, 256 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District as Protected Forest under section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967) – Notification – Orders – Issued.

ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY (Section.II) DEPARTMENT

G.O.Ms.No.29 **Dated:12.05.2022**

Read:-

From PCCF & HoFF, A.P., Lr.Rc.No.3561/2022/WLR-1, dt.13.04.2022

***

ORDER:

The appended notification in English and Telugu versions, under section 24 of the Andhra Pradesh Forest Act, 1967, (Act No.1 of 1967) for reservation of Dubagunta Block-C in Sy.Nos.252-1/2, 256 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District to an extent of 24.58 Ha. or 60.73 Acres of Compensatory Afforestation land, submitted by Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur, in his letter read above, is approved and forwarded to the Commissioner of Printing, Stationery and Stores Purchase (Printing Wing), Andhra Pradesh, Vijayawada. He is requested to get the notification published both in English and Telugu in the next issue of the Andhra Pradesh Gazette and furnish Five (5) copies of the Gazette to the Government and Fifty (50) copies to the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur.

2. The District Collector, SPSR Nellore District, is requested to get the appended notification published in the District Gazette, after its publication in the Andhra Pradesh Gazette and on receipt of specific requisition from the District Forest Officer, SPSR Nellore District.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)
NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT

To
The Commissioner of Printing, Stationery and Stores Purchase (Printing),
Andhra Pradesh, Vijayawada (w.e.)
The District Collector, SPSR Nellore District (w.e)
The Principal Chief Conservator of Forests & HoFF,
Andhra Pradesh, Guntur (w.e)
The Chief Commissioner of Land Administration,
Andhra Pradesh, Vijayawada (w.e).

Copy to:
The District Forest Officer, SPSR Nellore District (w.e)
The Law (G) Department.
SF/SCs (Computer No.1697453)

// FORWARDED :: BY ORDER //

N Jagadeeswari
SECTION OFFICER

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of section 24 of the Andhra Pradesh Forest Act, (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that the forest land described in the schedule below (delineated in the map kept in the Office of the Principal Chief Conservator of Forests, AP, Guntur) to be a "Protected Forest" with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District	:	SPSR Nellore
Name of the Division	:	Nellore
Name of the Range	:	Atmakur
Name of the Mandal	:	Anumasamudram Peta
Name of the Village	:	Dubagunta
Name of the Block proposed to be Protected Forest	:	Dubagunta Block "C"
Area of the Forest Block proposed to be Protected Forest	:	24.58 Ha. (or) 60.73 Ac.

DETAILS OF AREAS INCLUDED IN THE PROPOSED PROTECTED FOREST BLOCK

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Dubagunta	252-1/2	Patta	16.490	12.760
2	Dubagunta	256	Patta	7.020	0.330
3	Dubagunta	257	Patta	2.030	2.010
4	Dubagunta	258	Patta	4.020	2.220
5	Dubagunta	270	Patta	10.020	1.570
6	Dubagunta	270-1	Patta		3.570
7	Dubagunta	270-2	Patta		4.880
8	Dubagunta	271	Patta	9.750	1.500
9	Dubagunta	271-1	Patta		1.500
10	Dubagunta	271-2	Patta		2.260
11	Dubagunta	326	Patta	49.220	21.01
12	Dubagunta	327-a/2	Patta	17.390	6.420
13	Dubagunta	330	Patta	7.300	0.700
			Total:	**123.24**	**Ac. 60.73Cents (or) 24.58 Ha.**

NORTH: Starting from Station No. 1, which is located at Latitude of 14.75013 and Longitude of 79.57804 runs upto Station No. 2 which is located at Latitude 14.75018 and Longitude 79.57913 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						

1	2	88°	116	1	14.75013	79.57804	Along the boundary of Sy. Nos. 253 (Cart track) & 249 (Cart track).
				2	14.75018	79.57913	

EAST: Starting from Station No. 2, which is located at Latitude of 14.75018 and Longitude 79.57913 runs upto Station No. 14 which is located at Latitude 14.74274 and Longitude 79.58267 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS coordinates (WGS 84 datum)			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
2	3	181°	79	2	14.75018	79.57913	
3	4	129°	131	3	14.74947	79.57912	
4	5	91°	44	4	14.74873	79.58006	
5	6	62°	06	5	14.74872	79.58047	
6	7	98°	72	6	14.74875	79.58051	Along the boundary of Sy. No. 251.
7	8	163°	43	7	14.74865	79.58118	
8	9	166°	101	8	14.74829	79.58130	
9	10	166°	98	9	14.74741	79.58152	
10	11	167°	103	10	14.74655	79.58173	
11	12	167°	101	11	14.74565	79.58196	
12	13	167°	100	12	14.74477	79.58217	
13	14	166°	132	13	14.74389	79.58238	
				14	14.74274	79.58267	

SOUTH: Starting from Station No. 14, which is located at Latitude of 14.74274 and Longitude 79.58267 runs upto Station No. 23 which is located at Latitude 14.74505 and Longitude 79.57720 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS coordinates (WGS 84 datum)			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
14	15	281°	117	14	14.74274	79.58267	Along the boundaries of Sy. Nos. 323 & 320.
15	16	287°	101	15	14.74294	79.58160	
16	17	338°	20	16	14.74321	79.58071	

Compass Survey				DGPS coordinates (WGS 84 datum)			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
17	18	323°	74	17	14.74338	79.58063	
18	19	295°	133	18	14.74391	79.58022	
19	20	309°	65	19	14.74441	79.57909	Along the boundary of Sy. No. 272-2.
20	21	02°	15	20	14.74477	79.57862	
21	22	277°	86	21	14.74491	79.57862	
22	23	273°	68	22	14.74501	79.57783	Along the boundary of Sy. No. 274.
				23	14.74505	79.57720	

WEST: Starting from Station No. 23, which is located at Latitude of 14.74505 and Longitude 79.57720 runs upto Station No. 34 which is located at Latitude 14.74931 and Longitude 79.57795 and then runs upto station No. 1, the starting point which is located at Latitude of 14.75013 and Longitude of 79.57804 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS coordinates (WGS 84 datum)			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
23	24	11°	75	23	14.74505	79.57720	Along the boundary of Sy.No. 275
24	25	295°	47	24	14.74571	79.57733	
25	26	20°	66	25	14.74589	79.57694	Along the boundary of Sy.No. 266
26	27	107°	43	26	14.74646	79.57714	Along the boundary of Sy. Nos. 269
27	28	20°	59	27	14.74634	79.57753	
28	29	302°	06	28	14.74684	79.57771	
29	30	08°	50	29	14.74687	79.57766	
30	31	96°	82	30	14.74732	79.57773	

Compass Survey				DGPS coordinates (WGS 84 datum)			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
31	32	16°	124	31	14.74723	79.57848	Along the boundary of Sy. No. 256.
32	33	347°	113	32	14.74830	79.57881	Along the boundary of Sy. Nos. 256 & 252 (P).
33	34	272°	67	33	14.74929	79.57857	
34	01	06°	92	34	14.74931	79.57795	Reaches starting point i.e., Station No. 1.
				1	14.75013	79.57804	

REMARKS

1). There are no enclosures to be admitted within the Block.

2). There are no right of way/right of water courses are admitted in the block:

3) In exercise of Powers conferred by the sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said **Dubagunta Block "C"** Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.

4) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said **Dubagunta Block "C"** Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said **Dubagunta Block "C"** Protected Forest.

NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT
EFS&T DEPARTMENT

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

షెడ్యూలు

జిల్లా పేరు	:	శ్రీ పొట్టిశ్రీరాములు నెల్లూరు జిల్లా
ఆటవీ డివిజన్ పేరు	:	నెల్లూరు
రెవిన్యూ మండలం పేరు	:	అనుమ సముద్రం పేట
అటవీ రేంజి పేరు	:	ఆత్మకూరు
గ్రామమం పేరు	:	దూబగుంట
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	దూబగుంట బ్లాకు "సి"
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	24.58 హెక్టేరులు లేదా.ఎ 60.73 సెంట్లు

బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	దూబగుంట	252-1/2	Patta	16.490	12.760
2	దూబగుంట	256	Patta	7.020	0.330
3	దూబగుంట	257	Patta	2.030	2.010
4	దూబగుంట	258	Patta	4.020	2.220
5	దూబగుంట	270	Patta	10.020	1.570
6	దూబగుంట	270-1	Patta		3.570
7	దూబగుంట	270-2	Patta		4.880

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
8	దూబగుంట	271	Patta	9.750	1.500
9	దూబగుంట	271-1	పట్టా		1.500
10	దూబగుంట	271-2	పట్టా		2.260
11	దూబగుంట	326	పట్టా	49.220	21.01
12	దూబగుంట	327-a/2	పట్టా	17.390	6.420
13	దూబగుంట	330	పట్టా	7.300	0.700
మొత్తం				**123.24**	**ఎ 60.73 సెంట్లు లేదా 24.58 హెక్టేరులు**

సరిహద్దులు

ఉత్తరం: **లేటిట్యూడ్** 14.75013 మరియు **లాంగి ట్యూడ్** 79.57804 వద్ద వున్న స్టేషన్ నెం. 1 ప్రయాణించి **లేటిట్యూడ్** 14.75018 మరియు **లాంగి ట్యూడ్** 79.57913 వద్ద వున్న స్టేషన్ నెం. 2 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	88°	116	1	14.75013	79.57804	సర్వేనెంబరు -253 (బండ్ల బాట) & 249 (బండ్ల బాట). బౌండరీ వెంబడి వెళ్ళును
				2	14.75018	79.57913	

<u>తూర్పు:</u> **లేటిట్యూడ్** 14.75018 మరియు **లాంగి ట్యూడ్** 79.57913 వద్ద వున్న స్టేషన్ నెం. 2 ప్రయాణించి **లేటిట్యూడ్** 14.74274 మరియు **లాంగి ట్యూడ్** 79.58267 వద్ద వున్న స్టేషన్ నెం 14 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
2	3	181°	79	2	14.75018	79.57913	
3	4	129°	131	3	14.74947	79.57912	
4	5	91°	44	4	14.74873	79.58006	
5	6	62°	06	5	14.74872	79.58047	
6	7	98°	72	6	14.74875	79.58051	సర్వేనెంబరు -251 బౌండరీ వెంబడి వెళ్ళును
7	8	163°	43	7	14.74865	79.58118	
8	9	166°	101	8	14.74829	79.58130	
9	10	166°	98	9	14.74741	79.58152	
10	11	167°	103	10	14.74655	79.58173	
11	12	167°	101	11	14.74565	79.58196	
12	13	167°	100	12	14.74477	79.58217	
13	14	166°	132	13	14.74389	79.58238	
				14	14.74274	79.58267	

<u>దక్షిణము</u> : **లేటిట్యూడ్** 14.74274 మరియు **లాంగి ట్యూడ్** 79.58267 వద్ద వున్న స్టేషన్ నెం. 14 ప్రయాణించి **లేటిట్యూడ్** 14.74505 మరియు **లాంగి ట్యూడ్** 79.57720 వద్ద వున్న స్టేషన్ నెం 23 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగిట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
14	15	281°	117	14	14.74274	79.58267	సర్వేనెంబర్లు -323 & 320. బౌండరీ వెంబడి వెళ్ళును
15	16	287°	101	15	14.74294	79.58160	
16	17	338°	20	16	14.74321	79.58071	
17	18	323°	74	17	14.74338	79.58063	
18	19	295°	133	18	14.74391	79.58022	
19	20	309°	65	19	14.74441	79.57909	సర్వేనెంబరు - 272-2.బౌండరీ వెంబడి వెళ్ళును
20	21	02°	15	20	14.74477	79.57862	
21	22	277°	86	21	14.74491	79.57862	
22	23	273°	68	22	14.74501	79.57783	సర్వేనెంబరు -274 బౌండరీ వెంబడి వెళ్ళును
				23	14.74505	79.57720	

పడమర : **లేటిట్యూడ్** 14.74505 మరియు **లాంగి ట్యూడ్** 79.57720 వద్ద వున్న స్టేషన్ నెం. 23 ప్రయాణించి **లేటిట్యూడ్** 14.74931 మరియు **లాంగి ట్యూడ్** 79.57795 వద్ద వున్న స్టేషన్ నెం 34 వరకు మరియు **లేటిట్యూడ్** 14.75013 మరియు **లాంగి ట్యూడ్** 79.57804 వద్ద వున్న స్టేషన్ నెం 1 అనగా ప్రారంభ స్థానం నకు నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషన్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషన్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగిట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
23	24	11°	75	23	14.74505	79.57720	సర్వేనెంబరు -275 బౌండరీ వెంబడి వెళ్ళును
24	25	295°	47	24	14.74571	79.57733	

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యుడ్ (డిగ్రీలలో)	లాంగిట్యుడ్ (డిగ్రీలలో)	
నుండి	వరకు						
25	26	20°	66	25	14.74589	79.57694	సర్వేనెంబరు -266 బొండరీ వెంబడి వెళ్ళును
26	27	107°	43	26	14.74646	79.57714	సర్వేనెంబరు -269 బొండరీ వెంబడి వెళ్ళును
27	28	20°	59	27	14.74634	79.57753	
28	29	302°	06	28	14.74684	79.57771	
29	30	08°	50	29	14.74687	79.57766	
30	31	96°	82	30	14.74732	79.57773	
31	32	16°	124	31	14.74723	79.57848	సర్వేనెంబరు -256 బొండరీ వెంబడి వెళ్ళును.
32	33	347°	113	32	14.74830	79.57881	సర్వేనెంబరు -256 & 252 (పీ) బొండరీ వెంబడి వెళ్ళును
33	34	272°	67	33	14.74929	79.57857	
34	01	06°	92	34	14.74931	79.57795	స్టేషస్ నెం. 1 ని చేరును
				1	14.75013	79.57804	

రిమార్కులు

1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.
2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు.
3) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 26వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత దుబగుంట "సి" బ్లాకు రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.
4) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాల్చడం లేదా తయారీ పద్ధతులకు సంబంధించిన బ్రేకింగ్ గాని, క్లియర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప, దుబగుంట "సి" బ్లాకు రక్షిత అడవి నందు ఇందుమూలముగా నిషేదించడమయినది.